

**Save Energy
with
High-tech
Pump Sets.**

Price List

**Effective From
01-03-2015**

Ameep[®]

A PRODUCT OF
ISO 9001
CERTIFIED COMPANY

IS : 8472

CM/L 7660885

IS : 14220

CM/L 7660986



AMIDHARA INDUSTRIES

L- 205,206, G.I.D.C. Estate, Nr. Telephone Exchange,
Bhikshuk Gruh, Odhav, AHMEDABAD - 382 415. (INDIA)
Phone : (F) 079 - 22870420, 22876420,
Mobile : +91 98250 68427
Web : www.ameepump.com
e-mail : ameepumps@gmail.com

INDEX

Sr.	<u>PRODUCT RANGE</u>	Page no.
1	DOMESTIC MINI MONOBLOCK WATER PUMPS 2800 R.P.M, 1 PH & 3 PH, 50hz.....	Page-1
2	CENTRIFUGAL MONOBLOCK PUMPSETS 1 PH & 3 PH, 2800 RPM, 50hz.....	Page-1
3	SUB. OPENWELL MONOSET PUMPS 2800 R.P.M, 50 HZ, 1 PH & 3 PH.....	Page-2
4	V-9 1 PH OPENWELL MONOSET PUMPS 2800 R.P.M, 50 HZ, (160V- 230V).....	Page-3
5	MINI LOW VOLTAGE OPENWELL MONOSET 2800 RPM, 1 PH (180 V)& 3 PH (300 V).....	Page-3
6	V-7 ECONOMY 3 PH. OPENWELL MONOSET PUMPS 2800 R.P.M, (250V- 415V).....	Page-4
7	V-9 ECONOMY 3 PH SUB. OPENWELL MONOSET 2800 R.P.M, 50 HZ, (250V- 415V).....	Page-4
8	THREE PHASE SUB. MONOSET PUMPS 2800 R.P.M, 50 HZ, (250V- 415V).....	Page-5
9	SINGLE PHASE ELECTRIC INDUCTION MOTORS.....	Page-6
10	THREE PHASE ELECTRIC INDUCTION MOTORS.....	Page-6
11	SELF- PRIMING BELT-DRIVEN BARE WATER PUMPS.....	Page-7
12	BOILERFEED PUMPS / MULTY STAGE SELF PRIMING BARE PUMPS.....	Page-7
13	V-3 VERTICAL SUBMERSIBLE PUMPSET (copper rotor).....	Page-8
14	V-4 VERTICAL SUBMERSIBLE PUMPSET (economy models) copper rotor.....	Page-9
15	SINGLE PHASE CONTROL PANEL (for V-3 & V-4).....	Page-9
16	V-4 VERTICAL SUBMERSIBLE PUMPSET (ISI models) copper rotor.....	Page-10,11
17	V-6 VERTICAL SUBMERSIBLE PUMPSET 50 FEET HEAD	Page-11,12
18	STAINLESS STEEL SELF PRIMING PUMPS.....	Page-13
19	MUD MONOBLOCKS & BARE PUMPS.....	Page-13
20	POLY PROPELENE (PP) PUMPS.....	Page-13

DOMESTIC MINI MONOBLOCK WATER PUMPSETS 2800 R.P.M, 50 HZ, 1 PH (230V)& 3 PH (415V)

MODEL	MOT. BODY	ISI	TYPE	HP	PUMP SIZE IN mm	SUC. In mtr	TOTAL HEAD IN MTRS / DISCHARGE IN LPM								PRICE RS.	
							5	10	15	20	25	30	35	40	1 PH	3 PH
MONO-60	CI		C.F.	0.25	15x15	5	50	30	5						2850	-
DELUXE-80 (TEXMO)	CI		S.P.	0.75	25x25	8	44	40	35	29	24	20			4770	-
POWER GOLD-2	ALU	ISI	S.P.	0.5	15x15	8	27	23	20	15	10				2950	-
POWER GOLD-2	CI	ISI	S.P.	0.5	15x15	8	27	23	20	15	10				3100	-
POWER GOLD-2A	ALU	ISI	S.P.	0.75	25x25	8	35	30	25	20	15	5			3500	-
POWER GOLD-1	ALU	ISI	S.P.	1	25x25	8	45	39	34	30	23	15	5		4200	-
DELUXE-70	CI	ISI	S.P.	0.5	15x15	8	32	28	23	18	12				3400	-
DELUXE-90	CI	ISI	S.P.	0.75	25x25	8	45	38	35	30	25	19	12		4300	-
DELUXE-100	CI	ISI	S.P.	1	25x25	8	60	56	53	48	44	38	34	30	6000	6100
SUPER-70	ALU	ISI	NRV	0.5	25x25	6	31	23	14	6					2350	-
SUPER-100	ALU	ISI	NRV	0.5	25x25	6		30	26	21	17	15			2850	-
SUPER-120	ALU	ISI	NRV	1.0	25x25	6	52	45	43	40	36	30	25	21	3750	-

CENTRIFUGAL MONOBLOCK PUMPSETS 1 PH (180-230V) & 3 PH (300/415V), 2800 RPM, 50HZ

MODEL	HP	PUMP SIZE mm	TOTAL HEAD mtr	HEAD	TOTAL HEAD IN MTRS / DISCHARGE IN LPM								PRICE RS.			
					5	10	15	20	25	30	40	50	60	1 PH	3 PH	
ACF-1	0.5	25x25	16	HH		125	68								4600	4400
ACF-1A	0.5	40x40	12	LH	265	170									4900	4520
ACF-2	1	25x25	27	HH			260	120	40						6300	6200
ACF-2A	1	40x40	17	LH		310	280	70							6500	6400
ACF-2B	1	50x50	15	LH	500	390									6800	6700
ACF-3	1.5	40x40	28	HH		370	320	260	140						8650	8500
ACF-3A	1.5	50x50	18	LH		430	300	80							8850	8700
ACF-3A	1.5	80x80	15	LH	780	560	190								9350	9200
ACF-4	2	40x40	31	HH			300	260	210	60					10650	10500
ACF-4A	2	50x50	26	HH			470	280	120						10800	10650
ACF-4B	2	65x50	24	LH		540	480	260							11350	11200
ACF-4C	2	80x80	15	LH	880	660	300								11350	11200
ACF-5eco	3	65x50	26	HH			450	320	100						14500	13000
ACF-5Aeco	3	65x65	22	LH		550	430	200							-	13000
ACF-6eco	5	65x50	34	HH				600	520	280					-	17200
ACF-6Aeco	5	80x65	28	LH			680	520	280						-	17200
ACF-5	3	65x50	30	HH			560	390	260						-	14200
ACF-5A	3	65x65	24	LH		650	540	270							-	14200
ACF-6	5	65x50	50	HH						500	370	210			-	18600
ACF-6A	5	80x65	26	LH			770	570	350						-	18600
ACF-6B	5	80x80	24	LH		1200	1020	650							-	19200
ACF-6C	5	100x100	18	LH	1380	1280	850								-	20000
ACF-7	7.5	65x50	52	HH					560	520	460	380			-	27500
ACF-7A	7.5	80x65	36	LH					1030	980	920				-	27500
ACF-7B	7.5	100x80	26				1340	1200	750						-	30400
ACF-7C	7.5	100x100	26				1400	1170	700						-	30400
ACF-8	10	65x50	64	HH					880	800	720	645	300		-	29200
ACF-8A	10	80x65	52	LH						830	760	370			-	29200
ACF-8B	10	100x80	36					1800	1600	1320	350				-	32000
ACF-8C	10	100x100	36					1900	1660	1350					-	32000

SUB. OPENWELL MONOSET PUMPS 2800 R.P.M, 50 HZ, 1 PH (230V)& 3 PH (415V)**MINI
OPENWELL
1 PH & 3 PH****ALL 1 PH SUB. MONOSET PUMPS ARE WITH PANEL & ALL 3 PH MONOSET ARE
WITHOUT STARTER, ALL PUMPS ARE WITH 5 MTR. CABLE**

MODEL	H.P.	ISI	PUMP SIZE SUC x DEL mm	PIPE SIZE IN INCH	SHUT OFF HEAD MTR	MOT. DIA INCH	WORKING RANGE OF PERFORMANCE & DUTY Head (Mtr) / Discharge (L.P.M)					PRICE RS. (SS/MS BODY)			
												ALU ROT.		COPPER ROT.	
							1 PH	3 PH	1 PH	3 PH	230 V	415 V	230 V	415 V	
ASM-1	0.5	ISI	25X25	1"	18	5"	<u>6</u> 126	<u>8</u> 120	<u>10</u> 110	<u>12</u> 95	<u>15</u> 65	4050	-	4400	-
ASM-1 GOLD	0.5	ISI	25X25	1"	16	5"	<u>6</u> 180	<u>8</u> 150	<u>10</u> 110	<u>12</u> 85	<u>15</u> 45	4200	-	4550	-
ASM-1A HEAVY	0.5	ISI	25x25	1"	22	5"	<u>6</u> 210	<u>10</u> 190	<u>15</u> 160	<u>17</u> 140	<u>20</u> 70	5750	-	6400	-
ASM-2	0.75 1 eco		25x25	1"	22	5"	<u>6</u> 220	<u>10</u> 200	<u>15</u> 170	<u>17</u> 150	<u>20</u> 80	5900	6900	6550	7500
ASM-1CG	0.5	ISI	25X25	1"	19	5"		<u>5</u> 175	<u>10</u> 140	<u>15</u> 100	<u>18</u> 45	4500	-	4900	-
ASM-3CG	1	ISI	32x25	1"	32	6"	<u>5</u> 250	<u>15</u> 210	<u>20</u> 180	<u>25</u> 125	<u>30</u> 40	6650	6550	7350	7250
ASM-3	1	ISI	25x25	1"	29	6"	<u>12</u> 230	<u>18</u> 210	<u>21</u> 180	<u>24</u> 140	<u>28</u> 60	7500	7300	8300	8100
ASM-3A	1		38x38	1.5"	22	6"	<u>10</u> 340	<u>12</u> 320	<u>15</u> 300	<u>18</u> 270	<u>20</u> 160	7650	7450	8450	8250
ASM-3B	1		50x50	2"	17	6"	<u>6</u> 440	<u>8</u> 390	<u>10</u> 360	<u>12</u> 320	<u>15</u> 290	7800	7600	8600	8400
ASM-4	1.5		38x38	1.5"	28	6"	<u>15</u> 285	<u>18</u> 260	<u>20</u> 250	<u>22</u> 200	<u>25</u> 150	8700	8500	9550	9350
ASM-4A	1.5		50x50	2"	22	6"	<u>10</u> 400	<u>12</u> 390	<u>15</u> 360	<u>18</u> 320	<u>20</u> 220	8900	8700	9750	9550
ASM-4B	1.5		65x65	2.5"	17	6"	<u>6</u> 590	<u>8</u> 530	<u>10</u> 500	<u>12</u> 470	<u>15</u> 250	9400	9200	10250	10050
ASM-5	2		38x38	1.5"	31	6"	<u>22</u> 270	<u>24</u> 230	<u>26</u> 200	<u>28</u> 170	<u>30</u> 120	10200	10000	11100	10900
ASM-5A	2		50x50	2"	30	6"	<u>15</u> 400	<u>21</u> 350	<u>24</u> 275	<u>26</u> 225	<u>28</u> 175	10400	10200	11300	11100
ASM-5B	2		65x65	2.5"	20	6"	<u>8</u> 650	<u>10</u> 615	<u>12</u> 570	<u>15</u> 450	<u>18</u> 340	10900	10700	11800	11600
ASM-5C	2		80x80	3"	15	6"	<u>6</u> 800	<u>8</u> 720	<u>10</u> 630	<u>12</u> 570	<u>13</u> 370	11000	10800	11900	11700
ASM-6eco	3 eco		50x38	1.5"	34	7"	<u>22</u> 360	<u>24</u> 300	<u>26</u> 270	<u>30</u> 230	<u>32</u> 160	12900	-	13500	-
ASM-6Aeco0	3 eco		50x50	2"	31	7"	<u>21</u> 440	<u>24</u> 345	<u>26</u> 320	<u>28</u> 270	<u>30</u> 180	13100	10850	13700	11550
ASM-6Beco	3 eco		75x65	2.5"	24	7"	<u>10</u> 740	<u>12</u> 620	<u>15</u> 610	<u>18</u> 540	<u>22</u> 360	13500	10950	14100	11650
ASM-6Ceco	3 eco		80x80	3"	20	7"	<u>8</u> 850	<u>10</u> 800	<u>12</u> 710	<u>15</u> 600	<u>18</u> 450	13700	11250	14300	11950
ASM-6Deco	3 eco		100x100	4"	14	7"	<u>4</u> 1150	<u>6</u> 1050	<u>8</u> 1050	<u>10</u> 950	<u>12</u> 700	14600	12150	15200	12850
ASM-8eco	5 eco		65x50	2"	36	7"	<u>24</u> 500	<u>28</u> 430	<u>30</u> 390	<u>32</u> 375	<u>34</u> 300	15600	11750	16400	12500
ASM-8Aeco	5 eco		80x65	2.5"	27	7"	<u>15</u> 800	<u>17</u> 750	<u>20</u> 660	<u>22</u> 600	<u>25</u> 450	15700	11850	16500	12600
ASM-8Beco	5 eco		80x80	3"	22	7"	<u>10</u> 960	<u>12</u> 910	<u>15</u> 840	<u>17</u> 700	<u>20</u> 600	16000	12150	16800	12900
ASM-8Ceco	5 eco		100x100	4"	15	7"		<u>6</u> 1300	<u>8</u> 1250	<u>10</u> 1000	<u>13</u> 900	17300	12350	18100	13100

V-9 1 PH OPENWELL MONOSET PUMPS 2800 R.P.M, 50 HZ, (160V- 230V)**V-9 1 PH heavy****COPPER & ALUMINIUM ROTOR WITH 5 METER CABLE, WITH STARTER****OPENWELL 3 & 5hp**

MODEL	H.P.	PUMP SIZE MM SUC x DEL	PIPE SIZE IN INCH	SHUT OFF HEAD MTR	MOTR DIA INCH	WORKING RANGE OF PERFORMANCE & DUTY Head (Mtr) / Discharge (L.P.M)					PRICE RS.(MS BODY) 250V - 415V	
											ALU. ROTOR	COPPER ROTOR
ASM-6-V9 1ph	3 V9 1ph	65x50	2"	30	9"	<u>15</u> 610	<u>18</u> 560	<u>21</u> 520	<u>24</u> 450	<u>28</u> 300	15350	16300
ASM-6A-V9 1ph	3 V9 1ph	80x65	2.5"	25	9"	<u>12</u> 800	<u>15</u> 650	<u>18</u> 600	<u>20</u> 560	<u>22</u> 450	15450	16400
ASM-6B-V9 1ph	3 V9 1ph	80x80	3"	24	9"	<u>10</u> 900	<u>12</u> 870	<u>15</u> 660	<u>18</u> 590	<u>22</u> 415	15850	16800
ASM-6C-V9 1ph	3 V9 1ph	100x100	4"	14	9"	<u>6</u> 950	<u>8</u> 900	<u>10</u> 850	<u>12</u> 750		17000	17950
ASM-8-V9 1ph	5 V9 1ph	65x50	2"	48	9"	<u>20</u> 750	<u>22</u> 650	<u>24</u> 550	<u>26</u> 450	<u>30</u> 350	16850	18100
ASM-8A-V9 1ph	5 V9 1ph	80x65	2.5"	37	9"	<u>12</u> 830	<u>15</u> 760	<u>18</u> 700	<u>20</u> 670	<u>22</u> 600	16950	18200
ASM-8B-V9 1ph	5 V9 1ph	80x80	3"	37	9"	<u>8</u> 1000	<u>10</u> 950	<u>12</u> 900	<u>15</u> 750	<u>18</u> 650	17300	18550
ASM-8B-V9 1ph	5 V9 1ph	100x100	4"	32	9"	<u>4</u> 1400	<u>6</u> 1350	<u>8</u> 1300	<u>10</u> 1050	<u>12</u> 940	18500	19750

MINI ECONOMY 1 & 3 PH. OPENWELL MONOSET 2800 RPM, 1 PH (180 V)& 3 PH (300 V) MINI ECO**ALL 1 PH SUB. MONOSET PUMPS ARE WITH PANEL & ALL 3 PH MONOSET ARE W/O STARTER OPENWELL****ALL PUMPS ARE WITH 5 MTR. CABLE****1.5hp & 2hp**

MODEL	H.P.	PUMP SIZE mm SUC x DEL	PIPE SIZE IN INCH	SHUT OFF HEAD MTR	MOT. DIA INCH	WORKING RANGE OF PERFORMANCE & DUTY Head (Mtr) / Discharge (L.P.M)					PRISE RS. (SS/MS BODY)			
											ALU ROT.		COPPER ROT.	
											1 PH	3 PH	1 PH	3 PH
ASM-4 ECO	1.5 eco	38x38	1.5"	28	6"	<u>15</u> 280	<u>18</u> 245	<u>21</u> 230	<u>24</u> 175	<u>27</u> 100	8500	8300	9000	8800
ASM-4A ECO	1.5 eco	50x50	2"	20	6"	<u>8</u> 390	<u>10</u> 365	<u>12</u> 340	<u>15</u> 310	<u>18</u> 270	8750	8550	9200	9000
ASM-4B ECO	1.5 eco	65x50	1.9"	17	6"	<u>8</u> 470	<u>10</u> 400	<u>12</u> 375	<u>15</u> 330	<u>18</u> 200	8850	8650	9350	9150
ASM-5 ECO	2 eco	38x38	1.5"	31	6"	<u>22</u> 240	<u>24</u> 200	<u>26</u> 175	<u>28</u> 150	<u>30</u> 100	10200	10000	10800	10600
ASM-5A ECO	2 eco	50x50	2"	27	6"	<u>12</u> 345	<u>15</u> 300	<u>21</u> 265	<u>24</u> 170	<u>26</u> 110	10300	10100	10900	10700
ASM-5B ECO	2 eco	65x50	2"	24	6"	<u>10</u> 530	<u>15</u> 445	<u>18</u> 400	<u>21</u> 300	<u>22</u> 130	11100	10900	11650	11450

V-7 ECONOMY 3 PH. SUB. OPENWELL MONOSET PUMPS 2800 R.P.M. (250V- 415V) V-7 ECO & SUPER

COPPER & ALUMINIUM ROTOR WITH 5 METER CABLE, WITHOUT STARTER												OPENWELL 5 to 7.5hp	
MODEL	H.P.	PUMP SIZE MM SUC x DEL	PIPE SIZE IN INCH	SHUT OFF HEAD MTR	MOTR DIA INCH	WORKING RANGE OF PERFORMANCE & DUTY Head (Mtr) / Discharge (L.P.M)						PRICE RS.(MS BODY) 250V - 415V	
						ALU. ROTOR	COPPER ROTOR						
ASM-8 SUPER	5 super	65x50	2"	38	7"	<u>24</u> 550	<u>28</u> 480	<u>30</u> 450	<u>32</u> 410	<u>34</u> 360	<u>36</u> 300	12800	13700
ASM-8A SUPER	5 super	80x65	2.5"	30	7"	<u>17</u> 760	<u>20</u> 720	<u>22</u> 650	<u>25</u> 560	<u>27</u> 450		12900	13800
ASM-8B SUPER	5 super	80x80	3"	25	7"		<u>15</u> 950	<u>17</u> 840	<u>20</u> 770	<u>22</u> 650		13200	14200
ASM-8C SUPER	5 super	100x100	4"	18	7"		<u>6</u> 1425	<u>8</u> 1325	<u>10</u> 1200	<u>12</u> 1000	<u>15</u> 850	14800	15800
ASM-9 ECO	6.5 eco	65x50	2"	38	7"	<u>28</u> 510	<u>30</u> 480	<u>32</u> 430	<u>34</u> 400	<u>36</u> 350		13150	14050
ASM-9A ECO	6.5 eco	80x65	2.5"	32	7"	<u>20</u> 940	<u>22</u> 800	<u>25</u> 680	<u>27</u> 600	<u>30</u> 425		13300	14200
ASM-9B ECO	6.5 eco	80x80	3"	27	7"		<u>15</u> 1100	<u>17.5</u> 940	<u>20</u> 810	<u>22</u> 660	<u>24</u> 480	13600	14550
ASM-9C ECO	6.5 eco	100x100	4"	22	7"		<u>10</u> 1450	<u>12.5</u> 1350	<u>15</u> 1300	<u>17.5</u> 1000	<u>20</u> 700	15300	16250
ASM-9 SUPER	6.5 super	65x50	2"	41	7"	<u>28</u> 630	<u>30</u> 550	<u>34</u> 460	<u>36</u> 380	<u>38</u> 340	<u>40</u> 200	14250	15700
ASM-9A SUPER	6.5 super	80x65	2.5"	32	7"		<u>22</u> 860	<u>25</u> 760	<u>27</u> 655	<u>30</u> 465	<u>31</u> 300	14350	15800
ASM-9B SUPER	6.5 super	80x80	3"	27	7"	<u>15</u> 1230	<u>17.5</u> 1000	<u>20</u> 920	<u>22.5</u> 880	<u>25</u> 520		14850	16300
ASM-9C SUPER	6.5 super	100x100	4"	22	7"		<u>10</u> 1550	<u>12</u> 1380	<u>15</u> 1340	<u>17</u> 1050	<u>20</u> 750	16300	17750
ASM-10 ECO	7.5 eco	65x50	2"	48	7"	<u>32</u> 550	<u>34</u> 510	<u>36</u> 480	<u>38</u> 470	<u>44</u> 380	<u>46</u> 200	17500	19300
ASM-10A ECO	7.5 eco	80x65	2.5"	37	7"	<u>25</u> 860	<u>28</u> 770	<u>30</u> 690	<u>32</u> 630	<u>35</u> 460		17650	19450
ASM-10B ECO	7.5 eco	80x80	3"	32	7"	<u>20</u> 1060	<u>22</u> 960	<u>25</u> 930	<u>27</u> 780	<u>30</u> 550		18250	20050
ASM-10C ECO	7.5 eco	100x100	4"	24	7"		<u>15</u> 1620	<u>17.5</u> 1410	<u>20</u> 1350	<u>22</u> 1150		19700	21600

V-9 ECONOMY 3 PH SUB. OPENWELL MONOSET 2800 R.P.M, 50 HZ, (250V- 415V) V-9 ECONOMY

COPPER & ALUMINIUM ROTOR WITH 5 METER CABLE, WITHOUT STARTER												OPENWELL 5 & 7.5hp	
MODEL	H.P.	PUMP SIZE MM SUC x DEL	PIPE SIZE IN INCH	SHUT OFF HEAD MTR	MOTR DIA INCH	WORKING RANGE OF PERFORMANCE & DUTY Head (Mtr) / Discharge (L.P.M)						PRICE RS.(MS BODY) 250V - 415V	
						ALU. ROTOR	COPPER ROTOR						
ASM-8 ECO-V9	5 V9 eco	65x50	2"	38	V-9"	<u>24</u> 510	<u>28</u> 450	<u>30</u> 410	<u>32</u> 380	<u>34</u> 340	<u>36</u> 180	13300	14300
ASM-8A ECO-V9	5 V9 eco	80x65	2.5"	30	V-9"	<u>17</u> 730	<u>20</u> 690	<u>22</u> 650	<u>25</u> 550	<u>27</u> 400		13450	14400
ASM-8B ECO-V9	5 V9 eco	80x80	3"	30	V-9"	<u>12</u> 900	<u>15</u> 850	<u>17</u> 800	<u>20</u> 710	<u>22</u> 600		13800	14750
ASM-8C ECO-V9	5 V9 eco	100x100	4"	24	V-9"	<u>6</u> 1400	<u>8</u> 1300	<u>10</u> 1150	<u>12</u> 1200	<u>15</u> 350		15250	16200
ASM-10 ECO-V9	7.5 V9 eco	65x50	2"	48	V-9"	<u>34</u> 550	<u>36</u> 510	<u>38</u> 430	<u>42</u> 400	<u>44</u> 350	<u>46</u> 300	19900	22000
ASM-10A ECO-V9	7.5 V9 eco	80x65	2.5"	37	V-9"	<u>25</u> 910	<u>28</u> 830	<u>30</u> 710	<u>32</u> 670	<u>35</u> 550		20000	22150
ASM-10B ECO-V9	7.5 V9 eco	80x80	3"	37	V-9"	<u>20</u> 1150	<u>22</u> 1000	<u>25</u> 930	<u>27</u> 800	<u>30</u> 600		20350	22500
ASM-10C ECO-V9	7.5 V9 eco	100x100	4"	32	V-9"	<u>15</u> 1650	<u>17</u> 1350	<u>20</u> 1200	<u>22</u> 1050	<u>25</u> 300		22250	23900

THREE PHASE SUB. MONOSET PUMPS 2800 R.P.M, 50 HZ, (250V- 415V)											V-9 3Ph heavy	
COPPER & ALUMINIUM ROTOR WITH 5 METER CABLE, WITHOUT STARTER											OPENWELL 3 to 15 hp	
MODEL	H.P.	PUMP SIZE MM SUC x DEL	PIPE SIZE IN INCH	SHUT OFF HEAD MTR	WORKING RANGE OF PERFORMANCE & DUTY Head (Mtr) / Discharge (L.P.M)						PRICE RS.(MS BODY) 250V - 415V	
											ALU. ROTOR	COPPER ROTOR
ASM-7	3	65x50	2"	32	<u>20</u> 530	<u>22</u> 450	<u>24</u> 390	<u>26</u> 350	<u>28</u> 250	<u>30</u> 100	12800	13800
ASM-7A	3	75x65	2.5"	22	<u>10</u> 790	<u>12</u> 760	<u>15</u> 620	<u>18</u> 450	<u>20</u> 300		12900	13900
ASM-7B	3	75x75	3"	20	<u>8</u> 980	<u>10</u> 890	<u>12</u> 790	<u>15</u> 660	<u>18</u> 500		13300	14200
ASM-7C	3	100x100	4"	17	<u>6</u> 1200	<u>8</u> 1100	<u>10</u> 1025	<u>12.5</u> 875	<u>15</u> 700		14700	15600
ASM-8	5	65x50	2"	38	<u>24</u> 620	<u>28</u> 550	<u>30</u> 500	<u>32</u> 470	<u>34</u> 430	<u>36</u> 350	13900	15200
ASM-8A	5	75x65	2.5"	32	<u>20</u> 850	<u>22</u> 820	<u>25</u> 650	<u>27</u> 550	<u>30</u> 400		14000	15300
ASM-8B	5	75x75	3"	27	<u>15</u> 1070	<u>17</u> 960	<u>20</u> 900	<u>22</u> 860	<u>25</u> 600		14400	15700
ASM-8C	5	100x100	4"	17	<u>6</u> 1500	<u>8</u> 1400	<u>10</u> 1280	<u>12</u> 1100	<u>15</u> 940		15700	17100
ASM-9	6.5	65x50	2"	42	<u>28</u> 680	<u>30</u> 560	<u>34</u> 510	<u>36</u> 450	<u>38</u> 380	<u>40</u> 250	15900	17400
ASM-9A	6.5	75x65	2.5"	34	<u>22</u> 920	<u>25</u> 790	<u>27</u> 700	<u>30</u> 520	<u>32</u> 350		16000	17500
ASM-9B	6.5	75x75	3"	27	<u>15</u> 1270	<u>17</u> 1150	<u>20</u> 970	<u>22</u> 910	<u>25</u> 675		16400	17900
ASM-10	7.5	65x50	2"	48	<u>34</u> 660	<u>36</u> 620	<u>38</u> 580	<u>42</u> 470	<u>44</u> 400	<u>46</u> 350	20900	23200
ASM-10A	7.5	75x65	2.5"	37	<u>25</u> 1000	<u>28</u> 915	<u>30</u> 800	<u>32</u> 700	<u>35</u> 600		20900	23200
ASM-10B	7.5	75x75	3"	34	<u>22</u> 1200	<u>25</u> 1100	<u>27</u> 1000	<u>30</u> 770	<u>32</u> 450		21300	23600
ASM-10C	7.5	100x100	4"	27	<u>15</u> 1800	<u>17</u> 1500	<u>20</u> 1450	<u>22</u> 1230	<u>25</u> 1030		22700	25000
ASM-11	10	65x50	2"	58	<u>44</u> 630	<u>46</u> 570	<u>50</u> 540	<u>52</u> 460	<u>54</u> 400	<u>56</u> 300	23200	25700
ASM-11A	10	75x65	2.5"	44	<u>30</u> 970	<u>32</u> 900	<u>35</u> 800	<u>37</u> 850	<u>40</u> 600	<u>42</u> 380	23200	25700
ASM-11B	10	75x75	3"	42	<u>27</u> 1150	<u>30</u> 1050	<u>32</u> 950	<u>35</u> 800	<u>37</u> 850	<u>40</u> 600	23600	26000
ASM-11C	10	100x100	4"	32	<u>20</u> 1700	<u>22</u> 1650	<u>25</u> 1500	<u>27</u> 1370	<u>30</u> 1000		25000	27500
ASM-12	12.5	65x50	2"	59	<u>44</u> 700	<u>46</u> 625	<u>52</u> 560	<u>54</u> 500	<u>56</u> 430	<u>57</u> 300	26700	29500
ASM-12A	12.5	75x65	2.5"	44	<u>30</u> 1200	<u>32</u> 1100	<u>35</u> 1050	<u>37</u> 875	<u>40</u> 690	<u>42</u> 450	26700	29500
ASM-12B	12.5	75x75	3"	42	<u>27</u> 1430	<u>30</u> 1300	<u>32</u> 1150	<u>35</u> 1000	<u>37</u> 925	<u>40</u> 700	27000	29900
ASM-12C	12.5	100x100	4"	32	<u>20</u> 1925	<u>22</u> 1800	<u>25</u> 1700	<u>27</u> 1525	<u>30</u> 1250		28700	31500
ASM-13	15	65x50	2"	63	<u>46</u> 810	<u>52</u> 750	<u>54</u> 650	<u>58</u> 620	<u>60</u> 500	<u>62</u> 300	31400	34300
ASM-13A	15	75x65	2.5"	47	<u>30</u> 1500	<u>32.5</u> 1300	<u>37.5</u> 1000	<u>40</u> 800	<u>42</u> 600	<u>45</u> 400	31400	34300
ASM-13B	15	75x75	3"	44	<u>30</u> 1500	<u>32.5</u> 1350	<u>35</u> 1250	<u>37.5</u> 1150	<u>40</u> 950	<u>42</u> 600	31800	34600
ASM-13C	15	100x100	4"	18	<u>20</u> 2200	<u>22.5</u> 2050	<u>27.5</u> 1700	<u>30</u> 1500	<u>32</u> 1150		33400	36300

SINGLE PHASE ELECTRIC INDUCTION MOTOR

Single Phase T.E.F.C., A.C. Induction Motor, 230 Volts, 50 Hz, Class 'B' as per IS:996 Standard

1440 R.P.M. 1 Ph

2880 R.P.M. 1 Ph

H.P.	K.W.	RPM	PRICE RS.			
			ECO MODEL		DELUXE MODEL	
			FRAME	RS.	FRAME	RS.
0.25	0.18	1500	90	3800	90	4880
0.5	0.37	1500	90	4300	90	5300
1	0.75	1500	100L	6200	100	7370
1.5	1.1	1500	100L	7225	100	9200
2	1.5	1500	112M	8430	112M	10850
3	2.2	1500	112M	9460	112M	13000

H.P.	K.W.	RPM	FRAME	PRICE RS.
				DELUXE MODEL
0.25	0.18	2800	90	4880
0.5	0.37	2800	100	5300
1	0.75	2800	100	7370
1.5	1.1	2800	100	9200
2	1.5	2800	112	10850

THREE PHASE ELECTRIC INDUCTION MOTORS

Standard 3 Phase, Foot Mounted, T.E.F.C., A.C., 415 Volts, 50 Hz, Class 'B' as per IS : 325 Standard

H.P. K.W.	RPM	FRAME	PRICE RS.		H.P. K.W.	RPM	FRAME	PRICE RS.		H.P. K.W.	RPM	FRAME	PRICE RS.
			Foot Mounted					Foot Mounted					Ft-Mount
			DELUX MODEL	GOLD MODEL				DELUX MODEL	GOLD MODEL				GOLD MODEL
0.25 HP 0.37 K.W.	3000	63	-	3975	3 HP 2.2 K.W.	3000	100-L	9460	10500	20 HP 15 K.W.	3000	160-L	44150
	1500	63	-	3975		1500	100-L	9460	10500		1500	160-L	44150
	1000	71	-	5650		1000	112-M	13550	14400		1000	180-M	65450
	750	80	-	7050		750	132-S	19850	20275		750	200	95200
0.5 HP 0.37 K.W.	3000	71	4015	4490	5 HP 3.7 K.W.	3000	112-M	12500	13400	25 HP 18.5 K.W.	3000	180-M	60300
	1500	71	4015	4490		1500	112-M	12500	13400		1500	180-M	60300
	1000	80	5900	6720		1000	132-S	19550	19950		1000	200	88500
	750	90-L	7525	8110		750	160-M	-	32600		750	225	122100
0.75 HP 0.55 K.W.	3000	80	-	5190	7.5 HP 5.5 K.W.	3000	132-S	17900	18450	30 HP 22 K.W.	3000	180-M	65450
	1500	80	-	5190		1500	132-S	17900	18450		1500	180-M	65450
	1000	90-S	-	7060		1000	132-M	23000	23400		1000	200	97950
	750	90-L	-	9420		750	160-M	-	36950		750	225	142400
1 HP 0.75 K.W.	3000	80	5025	5840	10 HP 7.5 K.W.	3000	132-M	20800	21550	40 HP 30 K.W.	3000	200	91050
	1500	80	5025	5840		1500	132-M	20800	21550		1500	200	91050
	1000	90-S	7050	7930		1000	160-M	-	36400		1000	225	148900
	750	100-L	9450	10600		750	160-L	-	45250				
1.5 HP 1.1 K.W.	3000	90-S	6600	7100	12.5 HP 9.3 K.W.	3000	160-M	-	33150	50 HP 37 K.W.	3000	200	116550
	1500	90-S	6600	7100		1500	160-M	-	33150		1500	225	116550
	1000	90-L	9700	8850		1000	160-M	-	43800				
	750	100-L	11900	12650		750	180-L	-	61850				
2 HP 1.5 K.W.	3000	90-S	7150	7730	15 HP 11 K.W.	3000	160-M	-	35600	60 HP 45 K.W.	3000	225	143700
	1500	90-L	7150	7730		1500	160-M	-	35600		1500	225	143700
	1000	100-L	10050	10870		1000	160-L	-	45700				
	750	112-M	13900	14440		750	180-M	-	65200				

FLANGE MOUNTED MOTOR : 5% Extra on above Prices

TERMS & CONDITIONS :

- TAXES** : VAT @ 15% & and any other taxes charge will be extra.
- PAYMENT** : 25% of the bill amount against order or through bank.
- DELIVERY** : As per availability of stock / ex-stock subject to prior sales.
- PACKING** : Packing & Forwarding charges will be extra.
- The Company shall supply the goods on F.O.R. Ahmedabad basis.
- We reserve the right to change the rates or terms without any prior notice.

SELF-PRIMING BELT-DRIVEN BARE WATER PUMPS PERFORMANCE IS 10% VARIABLE

MODEL	PUMP SIZE IN INCH	STAGE	MOTOR HP REQD. HP 1440 RPM	HEAD FEET/ L.P.M.	PRICE RS.			
					CI CASING	S.S. CASING	MOT. PULLY	BASE PLATE
1 x 1	1 x 1	1	0.5	60/25	2900	4100	210	700
	1 x 1	2	1	70/30	4100	6125	210	700
1.1/4 x1.1/4	1 x 1	1	1	50/70	3950		300	700
	1 x 1	2	2	100/65	5425		300	700

BOILERFEED PUMPS / MULTY STAGE SELF PRIMING BARE PUMPS PERFORMANCE IS 10% VARIABLE

MODEL	SUC. & DEL. SIZE mm.	STAGE	MOTOR REQD. HP 1440 RPM									PUMP WITH COUPLE PRICE RS.	BASE PLATE NETT PRICE RS.
				HEAD IN meters	DISCHARGE LPM	PRESSURE kg/cm2	4	7	11	17	21		
CI-2511 GM-2511	25x25	SINGLE	0.5	HEAD IN meters	4	7	11	17	21	23		3200	600
				DISCHARGE LPM	35	32	25	22	13			5400	600
				PRESSURE kg/cm2	2.2	1.9	1.4	0.7	0.2				
CI-2522 GM-2522	25x25	DOUBLE	1	HEAD IN meters	7	17	32	47				4100	700
				DISCHARGE LPM	36	28	16					7400	700
				PRESSURE kg/cm2	4.7	3.5	1.8						
CI-2523 GM-2523	25x25	THREE	1.5	HEAD IN meters	8	22	42	57	67			5400	850
				DISCHARGE LPM	36	29	18	10				8450	850
				PRESSURE kg/cm2	7	5.3	3	1.2					
CI-2544	25x25	FOUR	2	HEAD IN meters	8	22	42	72	102			9000	1750
				DISCHARGE LPM	48	42	33	19					
				PRESSURE kg/cm2	11	9.4	7	3.5					
CI-2555	25x25	FIVE	2	HEAD IN meters	8	22	42	62	82	120		10900	1750
				DISCHARGE LPM	48	42	34	28	18				
				PRESSURE kg/cm2	13.2	11.5	9.2	6.8	4.2				
CI-2566	25x25	SIX	3	HEAD IN meters	7	17	47	77	102	127	145	12350	3150
				DISCHARGE LPM	47	44	35	26	18	9			
				PRESSURE kg/cm2	16.2	15	11.5	8	5	2.1			
CI-3231 GM-3231	25x25	SINGLE	1	HEAD IN meters	8	18	27	36				5400	850
				DISCHARGE LPM	69	49	28					7600	850
				PRESSURE kg/cm2	3	2	1						
CI-3232 GM-3232	25x25	TWO	2	HEAD IN meters	8	18	32	47	67			6200	850
				DISCHARGE LPM	80	65	43	22				10050	850
				PRESSURE kg/cm2	6.6	5.4	3.9	2.2					
CI-3233 GM-3233	25x25	THREE	3	HEAD IN meters	7	22	42	67	95			7300	1350
				DISCHARGE LPM	85	69	51	29				12700	1350
				PRESSURE kg/cm2	9.8	8.1	5.9	3.1					
CI-3841 GM-3841	40x40	SINGLE	2	HEAD IN meters	7	17	32	47	58			7450	1350
				DISCHARGE LPM	116	100	72	37				10400	1350
				PRESSURE kg/cm2	5.7	4.5	2.9	1.2					
CI-3844	40x40	FOUR	5	HEAD IN meters	8	28	53	82	142			13300	3150
				DISCHARGE LPM	88	84	75	58					
				PRESSURE kg/cm2	15	12.7	9.9	6.7					
CI-3852 GM-3852	40x40	TWO	3	HEAD IN meters	7	27	52	77	117			9000	1750
				DISCHARGE LPM	120	114	91	62				15500	1750
				PRESSURE kg/cm2	12.2	10	7.2	4.4					
CI-3855	40x40	FIVE	5	HEAD IN meters	8	30	62	85	126	145		16100	3150
				DISCHARGE LPM	90	86	76	60	48				
				PRESSURE kg/cm2	15.2	12.8	9	6.7	2.1				
CI-3863 GM-3863	40x40	THREE	5	HEAD IN meters	7	27	52	77	107	145		11350	2450
				DISCHARGE LPM	110	98	81	60	40			20600	2450
				PRESSURE kg/cm2	15.3	13.1	10.3	7.5	4.2				
CI-3866	40x40	SIX	10	HEAD IN meters	9	38	73	96	132	166		24300	6950
				DISCHARGE LPM	93	88	80	66	52				
				PRESSURE kg/cm2	17.4	14.2	10.3	7.8	3.8				
CI-5174	50x50	FOUR	7.5	HEAD IN meters	6	38	73	108	144	196		20400	4950
				DISCHARGE LPM	110	100	80	58	32				
				PRESSURE kg/cm2	21.1	17.5	13.7	9.8	5.8				

V-3 VERTICAL SUBMERSIBLE PUMPSET

With S.S. Body Suitable For 80mm Bore Dia

V-3

74 mm.

MODEL : SD- 2

(copper rotor)

DISCHARGE IN L.P.M. →

68 57 51 41 30 24 15 9

PRICE Rs.

With out PANEL

Sr.	MODEL	H.P	STAGE	OUTLET	ISI	TOTAL HEAD IN METERS								PRICE Rs.
1	SD2-510	0.5	10	1"	-	5	10	15	20	25	27	30	32	6350
2	SD2-7515	0.75	15	1"	ISI	7	15	22	30	37	41	45	48	7200
3	SD2-1020	1	20	1"	ISI	10	20	30	40	50	55	60	65	7850
4	SD2-12526	1.25	26	1"	-	13	26	39	52	65	71	78	84	8900
5	SD2-1530	1.5	30	1"	-	15	30	45	60	75	82	90	97	11150
6	SD2-1535	1.5	35	1"	-	18	36	54	72	87	95	100	105	11700

MODEL : SD- 4

(copper rotor)

DISCHARGE IN L.P.M. →

72 65 60 55 45 42 35 22

V-3 74 mm

PRICE Rs.

With out PANEL

Sr.	MODEL	H.P	STAGE	OUTLET	ISI	TOTAL HEAD IN METERS								PRICE Rs.
7	SD4-57	0.5	7	1"	-	4	8	12	16	20	22	24	28	6200
8	SD4-7512	0.75	12	1"	-	6	12	18	24	30	33	36	42	7050
9	SD-41015	1	15	1"	-	7	45	22	30	37	41	45	52	7600
10	SD4-12520	1.25	20	1"	-	10	20	30	40	50	55	60	70	8450
11	SD4-1525	1.5	25	1"	-	12	25	37.5	50	62.5	68	75	87	10900

MODEL : SD- 5

(copper rotor)

DISCHARGE IN L.P.M. →

81 76 69 66 54 45 30 21

V-3 74 mm

PRICE Rs.

With out PANEL

Sr.	MODEL	H.P	STAGE	OUTLET	ISI	TOTAL HEAD IN METERS								PRICE Rs.
12	SD5-56	0.5	6	1"	-	3	6	9	12	15	16	21	22	6150
13	SD5-758	0.75	8	1"	-	4	8	12	16	20	22	28	30	6850
14	SD5-1010	1	10	1"	ISI	5	10	15	20	25	27	35	38	7300
15	SD5-1012	1	12	1"	-	6	12	18	24	30	33	42	45	7450
16	SD5-12515	1.25	15	1"	-	7	15	22	30	37	41	52	56	8200.0
17	SD5-1518	1.5	18	1"	-	9	18	27	36	45	49	63	67	10400

MODEL : SD- 7

(copper rotor)

DISCHARGE IN L.P.M. →

90 75 60 50 40 20

V-3 74 mm

PRICE Rs.

With out PANEL

Sr.	MODEL	H.P	STAGE	OUTLET	ISI	TOTAL HEAD IN METERS								PRICE Rs.
18	SD7-7512	0.75	6	1.25"	-	6	12	18	20	24	27			6700
19	SD7-1015	1	8	1.25"	-	8	16	24	28	32	36			7250
20	SD7-12520	1.25	11	1.25"	-	11	22	33	38	44	49			8050
21	SD7-1525	1.5	13	1.25"	-	13	16	39	46	52	58			10300

V-3 VERTICAL SUBMERSIBLE PUMPSET

With S.S. Body Suitable For 68 mm Bore Dia

V-3

68 mm.

MODEL : SD- 7

(copper rotor)

DISCHARGE IN L.P.M. →

72 65 58 50 42 35 27 20

PRICE Rs.

With out PANEL

Sr.	MODEL	H.P	STAGE	OUTLET	ISI	TOTAL HEAD IN METERS								PRICE Rs.
22	SD7-59	0.5	9	1.25"	-	4	9	13	18	22	24	27	29	6450
23	SD7-7512	0.75	12	1.25"	-	6	12	18	24	30	33	36	39	7150
24	SD7-1015	1	15	1.25"	-	7	15	22	30	37	41	45	48	7700
25	SD7-12520	1.25	20	1.25"	-	10	20	30	40	50	55	60	65	8550
26	SD7-1525	1.5	25	1.25"	-	12	25	37	50	62	68	75	81	11000

MODEL : SD-10

(copper rotor)

DISCHARGE IN L.P.M. →

95 84 75 60 45 39 27 23

V-3 68 mm

PRICE Rs.

With out PANEL

Sr.	MODEL	H.P	STAGE	OUTLET	ISI	TOTAL HEAD IN METERS								PRICE Rs.
27	SD10-56	0.5	6	1.25"	-	3	6	9	12	15	16	18	19	6300
28	SD10-759	0.75	9	1.25"	-	4	9	13	18	22	24	27	28	6950
29	SD10-1010	1	10	1.25"	-	5	10	15	20	25	27	30	32	7400
30	SD10-1012	1	12	1.25"	-	6	12	18	24	30	33	36	38	7550
31	SD10-12515	1.25	15	1.25"	-	8	15	22	30	37	41	45	48	8300
32	SD10-1518	1.5	18	1.25"	-	10	18	27	36	45	49	54	57	10500

V-4 VERTICAL SUBMERSIBLE PUMPSET

With S.S. Body Suitable For 100 mm Bore Dia

V-4**ECONOMY****MODEL : DLX- 1****(copper rotor)**

		DISCHARGE IN L.P.M. →												PRICE Rs.
						65	55	48	40	33	24	7	Without PANEL	
Sr.	MODEL	H.P	STAGE	OUTLET	TOTAL HEAD IN METERS									
1	DLT-1-5010	0.5	10	1.25"	-	10	20	25	30	35	40	45	6000	
2	DLT-1-7512	0.75	12	1.25"	-	12	24	30	36	42	48	54	6930	
3	DLT-1-10015	1	15	1.25"	-	12	30	38	45	53	60	68	7960	
4	DLT-1-15022	1.5	22	1.25"	-	22	44	55	66	77	88	99	9870	

MODEL : DLX- 2**(copper rotor)****V-4 ECO**

		DISCHARGE IN L.P.M. →												PRICE Rs.
						75	65	55	50	40	30	18	Without PANEL	
Sr.	MODEL	H.P	STAGE	OUTLET	TOTAL HEAD IN METERS									
5	DLT-2-5007	0.5	7	1.25"	-	7	14	21	25	28	32	35	6000	
6	DLT-2-7510	0.75	10	1.25"	-	10	20	30	35	40	45	50	6900	
7	DLT-2-10012	1	12	1.25"	-	12	24	36	42	48	54	60	8100	
8	DLT-2-15018	1.5	18	1.25"	-	18	36	54	63	72	80	90	10000	
9	DLT-2-20025	2	25	1.25"	-	25	50	75	87	100	112	125	12050	

MODEL : DLX- 4**(copper rotor)****V-4 ECO**

		DISCHARGE IN L.P.M. →												PRICE Rs.
						100	80	70	60	50	35	20	Without PANEL	
Sr.	MODEL	H.P	STAGE	OUTLET	TOTAL HEAD IN METERS									
10	DLT-4-7507	0.75	7	1.25"	-	7	14	21	25	28	32	35	6600	
11	DLT-4-10010	1	10	1.25"	-	10	20	30	35	40	45	50	7850	
12	DLT-4-15012	1.5	12	1.25"	-	12	24	36	42	48	54	60	9300	
13	DLT-4-15015	1.5	15	1.25"	-	18	30	45	53	60	68	75	9650	
14	DLT-4-20018	2	18	1.25"	-	25	36	54	63	72	80	90	11500	
15	DLT-4-20020	2	20	1.25"	-	20	40	60	70	80	90	100	11700	

MODEL : DLX- 7**(copper rotor)****V-4 ECO**

		DISCHARGE IN L.P.M. →												PRICE Rs.
						160	145	130	110	85	48	15	Without PANEL	
Sr.	MODEL	H.P	STAGE	OUTLET	TOTAL HEAD IN METERS									
16	DLX-7-1008	1	8	1.5"	-	8	12	16	20	24	28	32	7850	
17	DLX-7-15010	1.5	10	1.5"	-	10	15	20	25	30	35	40	9300	
18	DLX-7-20012	2	12	1.5"	-	12	18	24	30	36	42	48	10900	
19	DLX-7-20015	2	15	1.5"	-	15	23	30	38	45	52	60	11250	

MODEL : DLX- 10**(copper rotor)****V-4 ECO**

		DISCHARGE IN L.P.M. →												PRICE Rs.
						180	170	150	115	80	60	43	Without PANEL	
Sr.	MODEL	H.P	STAGE	OUTLET	TOTAL HEAD IN METERS									
20	DLX-10-1508	1.5	8	2.0"	-	4	8	16	25	32	35	40	9150	
21	DLX-10-20010	2	10	2.0"	-	5	10	20	30	40	45	50	10700	

MODEL : DLX- 12**(copper rotor)****V-4 ECO**

		DISCHARGE IN L.P.M. →												PRICE Rs.
						195	170	145	125	110	90	65	Without PANEL	
Sr.	MODEL	H.P	STAGE	OUTLET	TOTAL HEAD IN METERS									
22	DLX-12-1506	1.5	6	2.0"	-	6	12	18	20	24	27	30	9000	
23	DLX-12-2008	2	8	2.0"	-	8	16	24	28	32	35	40	10500	

SINGLE PHASE CONTROL PANEL (for V-3 & V-4)

Sr.	HP	AMP	START CAP	RUN CAP	MCB/PUSH BUTTON TYPE PRICE Rs.	RELAY TYPE PRICE Rs.
1	0.5 / 0.75	5 / 6.5	100-120 mfd	36 mfd	830	1850
2	1	8	150-200 mfd	50 mfd	920	1900
3	1.5	12	150-200 mfd	36+25 mfd	1060	2100
4	2	14	200-250 mfd	36+45 mfd	1120	2200
5	3	18	200-250 mfd	50+50 mfd	1160	2300

V-4 VERTICAL SUBMERSIBLE PUMPSET

With S.S. Body Suitable For 100 mm Bore Dia

V-4 ISI**FJ -1****(copper rotor)**

DISCHARGE IN L.P.M. →						75	60	55	45	38	25	15	PRISE Rs. 1Ph/3Ph Without PANEL
Sr.	MODEL	H.P	STAGE	OUTLET	ISI	TOTAL HEAD IN METERS							
1	FJ1-510	0.5	10	1.25"	ISI	10	20	30	40	45	50	55	8100
2	FJ1-512	0.5	12	1.25"	ISI	12	24	36	48	54	60	66	8250
3	FJ1-7512	0.75	12	1.25"	ISI	12	24	36	48	54	60	66	8900
4	FJ1-7516	0.75	16	1.25"	ISI	16	32	48	64	72	80	88	9200
5	FJ1-10016	1	16	1.25"	ISI	16	32	48	64	72	80	88	10300
6	FJ1-10020	1	20	1.25"	ISI	20	40	60	80	90	100	110	10600
7	FJ1-15024	1.5	24	1.25"	ISI	24	48	72	96	108	120	132	12700
8	FJ1-20033	2	33	1.25"	ISI	33	66	99	132	148	165	181	14800
9	FJ1-30042	3	42	1.25"	--	42	84	126	168	189	210	231	16900

FJ -2**(copper rotor)****V-4 ISI**

DISCHARGE IN L.P.M. →						80	75	70	55	45	35	20	PRISE Rs. 1Ph/3Ph Without PANEL
Sr.	MODEL	H.P	STAGE	OUTLET	ISI	TOTAL HEAD IN METERS							
10	FJ2-57	0.5	7	1.25"	ISI	7	14	21	28	31	35	38	7900
11	FJ2-7510	0.75	10	1.25"	ISI	10	20	30	40	45	50	55	8750
12	FJ2-10013	1	13	1.25"	ISI	13	26	39	52	58	65	71	10050
13	FJ2-15020	1.5	20	1.25"	ISI	20	40	60	80	90	100	110	12300
14	FJ2-20025	2	25	1.25"	ISI	25	50	75	100	112	125	137	14050
15	FJ2-20028	2	28	1.25"	ISI	28	56	84	112	126	140	154	14300
16	FJ2-30035	3	35	1.25"	--	35	70	105	140	157	175	192	16400
17	FJ2-40040	4	40	1.25"	--	40	80	120	160	180	200	220	(TP) 19100
18	FJ2-50042	5	42	1.25"	--	42	84	126	168	189	210	231	(TP) 20450

FJ -3**(copper rotor)****V-4 ISI**

DISCHARGE IN L.P.M. →						110	100	85	70	60	50	35	PRISE Rs. 1Ph/3Ph Without PANEL
Sr.	MODEL	H.P	STAGE	OUTLET	ISI	TOTAL HEAD IN METERS							
19	FJ4-55	0.5	5	1.25"	ISI	5	10	15	20	22	25	27	7800
20	FJ4-757	0.75	7	1.25"	ISI	7	14	21	28	31	35	38	8600
21	FJ4-10010	1	10	1.25"	ISI	10	20	30	40	45	50	55	9950
22	FJ4-15015	1.5	15	1.25"	ISI	15	30	45	60	67	75	82	12050
23	FJ4-20021	2	21	1.25"	ISI	21	42	63	84	94	105	115	13700
24	FJ4-30030	3	30	1.25"	--	30	60	90	120	135	150	165	16100
25	FJ4-40033	4	33	1.25"	--	33	66	99	132	148	165	181	(TP) 18700
26	FJ4-50035	5	35	1.25"	--	35	70	105	140	157	175	192	(TP) 20050

FJ -7**(copper rotor)****V-4 ISI**

DISCHARGE IN L.P.M. →						198	174	144	114	96	78	58	PRISE Rs. 1Ph/3Ph Without PANEL
Sr.	MODEL	H.P	STAGE	OUTLET	ISI	TOTAL HEAD IN METERS							
27	FJ7-1008	1	8	1.5"	ISI	8	16	24	32	36	40	44	9900
28	FJ7-15012	1.5	12	1.5"	ISI	12	24	36	48	53	60	65	11950
29	FJ7-20015	2	15	1.5"	ISI	15	30	45	60	67	75	82	13450
30	FJ7-30020	3	20	1.5"	--	20	40	60	80	90	100	110	15350
31	FJ7-40025	4	25	1.5"	--	25	50	75	100	112	125	137	18350
32	FJ7-50030	5	30	1.5"	--	30	60	90	120	135	150	165	(TP) 20100

V-4 VERTICAL SUBMERSIBLE PUMPSET

With S.S. Body Suitable For 100 mm Bore Dia

V-4 ISI

FJ -10

(copper rotor)

DISCHARGE IN L.P.M. →

205 180 150 125 114 95 70

PRISE Rs. 1Ph/3Ph

Sr.	MODEL	H.P	STAGE	OUTLET	ISI	TOTAL HEAD IN METERS							Without PANEL
33	FJ10-1006	1	6	2"	ISI	6	12	18	24	27	30	33	9800
34	FJ10-1508	1.5	8	2"	ISI	8	16	24	32	36	40	44	11700
35	FJ10-20010	2	10	2"	ISI	10	20	30	40	45	50	55	13100
36	FJ10-30015	3	15	2"	--	15	30	45	60	67	75	82	15100
37	FJ10-40018	4	18	2"	--	18	36	54	72	80	90	99	(TP) 17800
38	FJ10-50020	5	20	2"	--	20	40	60	80	90	100	110	(TP) 19250

FJ -12

(copper rotor)

V-4 ISI

DISCHARGE IN L.P.M. →

225 200 175 150 140 120 95

PRISE Rs. 1Ph/3Ph

Sr.	MODEL	H.P	STAGE	OUTLET	ISI	TOTAL HEAD IN METERS							Without PANEL
39	FJ12-1506	1.5	6	2"	ISI	6	12	18	24	27	30	33	11550
40	FJ12-2008	2	8	2"	ISI	8	16	24	32	36	40	44	13000
41	FJ12-30011	3	11	2"	--	11	22	33	44	49	55	60	14750
42	FJ12-40013	4	13	2"	--	13	26	39	52	58	65	71	(TP) 17350
43	FJ12-50015	5	15	2"	--	15	30	45	60	67	75	82	(TP) 18750

FJ -18

(copper rotor)

V-4 ISI

DISCHARGE IN L.P.M. →

385 315 275 240 190 140 75

PRISE Rs. 1Ph/3Ph

Sr.	MODEL	H.P	STAGE	OUTLET	ISI	TOTAL HEAD IN METERS							Without PANEL
44	FJ18-2006	2	6	2"	ISI	6	12	15	18	21	24	27	13650
45	FJ18-3009	3	9	2"	--	9	18	23	27	31	36	40	15900
46	FJ18-40010	4	10	2"	--	10	20	25	30	35	40	45	(TP) 18500
47	FJ18-50012	5	12	2"	--	12	24	30	36	42	48	54	(TP) 20200

V-6 VERTICAL SUBMERSIBLE PUMPSET 50 FEET

Made From C.I. or S.S. 410 Graded Bowl Set Suitable For 150 mm Dia.

V-6

50 ft

MODEL :60-K-TYPE

(copper rotor)

DISCHARGE IN L.P.M. →

225 200 180 160 145 120 110 90

PUMPSET PRICE Rs.

Sr.	MODEL	H.P	STAGE	OUTLET	TOTAL HEAD IN METERS								C. I.	S. S.
1	FJK-6058	5	8	2"	40	60	72	88	98	104	112	120	25640	29380
2	FJK-606010	6	10	2"	50	75	90	110	120	130	140	150	28720	33250
3	FJK-607512	7.5	12	2"	60	90	108	132	144	156	168	180	32820	38100
4	FJK-601016	10	16	2"	80	120	144	176	192	208	224	240	39380	45740
5	FJK-601220	12.5	20	2"	100	150	180	220	240	260	280	300	45220	53090
6	FJK-601522	15	22	2"	120	180	216	264	288	312	336	360	51810	58240

MODEL : 80-K-TYPE

(copper rotor)

V-6 50 ft

DISCHARGE IN L.P.M. →

300 275 255 220 200 185 160 125

PUMPSET PRICE Rs.

Sr.	MODEL	H.P	STAGE	OUTLET	TOTAL HEAD IN METERS								C. I.	S. S.
7	FJK-8056	5	6	2"	30	45	54	60	72	78	84	90	24200	27540
8	FJK-8067	6	7	2"	40	60	72	80	96	104	112	120	27280	30590
9	FJK-807510	7.5	10	2"	50	75	90	100	120	130	140	150	31310	36530
10	FJK-801012	10	12	2"	60	90	108	120	144	156	168	180	35930	42000
11	FJK-801215	12.5	15	2"	75	113	135	150	180	195	210	225	41540	48460
12	FJK-801518	15	18	2"	90	135	162	180	216	234	252	270	46980	55230
13	FJK-801720	17.5	20	2"	105	158	189	210	252	273	294	315	52980	61130
14	FJK-802024	20	24	2"	120	180	216	240	288	312	336	360	--	69110

V-6 VERTICAL SUBMERSIBLE PUMPSET 50 FEET

Made From C.I. or S.S. 410 Graded Bowl Set Suitable For 150 mm Dia.

V-6**50 ft****MODEL :100-K-TYPE****(copper rotor)**

DISCHARGE IN L.P.M. →					345	310	290	265	245	230	200	175	PUMPSET PRICE Rs.	
Sr.	MODEL	H.P	STAGE	OUTLET	TOTAL HEAD IN METERS								C. I.	S. S.
15	FJK-10055	5	5	2"	25	37	45	55	60	65	70	75	23480	26590
16	FJK-10066	6	6	2"	30	45	54	66	72	78	84	90	25830	29460
17	FJK-100758	7.5	8	2"	40	60	72	88	96	104	112	120	30000	34530
18	FJK-1001010	10	10	2"	50	75	90	110	120	130	140	150	34780	40120
19	FJK-1001212	12.5	12	2"	60	90	108	132	144	156	168	180	39020	45460
20	FJK-1001515	15	15	2"	75	112	135	165	180	195	210	225	44960	52360
21	FJK-1001718	17.5	18	2"	90	135	162	198	216	234	252	270	51010	59400
22	FJK-1002020	20	20	2"	100	150	180	220	240	260	280	300	55430	65280

MODEL : 125-K-TYPE**(copper rotor)****V-6 50 ft**

DISCHARGE IN L.P.M. →					500	430	400	350	330	290	260	220	PUMPSET PRICE Rs.	
Sr.	MODEL	H.P	STAGE	OUTLET	TOTAL HEAD IN METERS								C. I.	S. S.
23	FJK-12554	5	4	2"	20	30	36	44	48	52	56	60	22640	25620
24	FJK-12565	6	5	2"	25	38	45	55	60	65	70	75	25250	28560
25	FJK-125756	7.5	6	2"	30	45	54	66	72	78	84	90	28640	32470
26	FJK-125108	10	8	2"	40	60	72	88	96	104	112	120	33400	38210
27	FJK-1251210	12.5	10	2"	50	75	90	110	120	130	140	150	37730	43660
28	FJK-1251512	15	12	2"	60	90	108	132	144	156	168	180	42500	49460
29	FJK-1251714	17.5	14	2"	70	105	126	154	168	182	196	218	47860	55390
30	FJK-1252016	20	16	2"	80	120	144	176	192	208	224	240	52830	61420

MODEL : 150-K-TYPE**(copper rotor)****V-6 50 ft**

DISCHARGE IN L.P.M. →					580	540	480	440	410	375	340	300	PUMPSET PRICE Rs.	
Sr.	MODEL	H.P	STAGE	OUTLET	TOTAL HEAD IN METERS								C. I.	S. S.
31	FJK-15053	5	3	2.5"	15	22	27	33	36	39	42	45	22100	24470
32	FJK-15064	6	4	2.5"	20	30	36	44	48	52	56	60	24610	27470
33	FJK-150755	7.5	5	2.5"	25	37	45	55	60	65	70	75	28000	31430
34	FJK-150107	10	7	2.5"	35	52	63	77	84	91	98	105	32610	37270
35	FJK-150128	12.5	8	2.5"	40	60	72	88	96	104	112	120	36280	41480
36	FJK-1501510	15	10	2.5"	50	75	90	110	120	130	140	150	41070	47420
37	FJK-1501712	17.5	12	2.5"	60	90	108	132	144	156	168	180	45980	53470
38	FJK-1502013	20	13	2.5"	65	98	117	143	156	169	182	195	50090	58220

MODEL : 200-K-TYPE**(copper rotor)****V-6 50 ft**

DISCHARGE IN L.P.M. →					750	710	670	590	500	440	360	300	PUMPSET PRICE Rs.	
Sr.	MODEL	H.P	STAGE	OUTLET	TOTAL HEAD IN METERS								C. I.	S. S.
39	FJK-20052	5	2	2.5"	8	12	15	18	22	24	28	30	--	23260
40	FJK-20063	6	3	2.5"	12	18	21	27	33	36	42	45	24090	26320
41	FJK-200754	7.5	4	2.5"	16	24	30	36	45	48	66	60	27560	30340
42	FJK-200105	10	5	2.5"	20	30	37	45	56	60	70	75	31590	34880
43	FJK-200126	12.5	6	2.5"	24	36	45	54	67	72	84	90	35280	39160
44	FJK-200158	15	8	2.5"	32	48	60	72	90	96	112	120	40470	45220
45	FJK-200179	17.5	9	2.5"	36	54	67	81	100	108	126	135	44680	49990
46	FJK-2002010	20	10	2.5"	40	60	75	90	110	120	140	150	48930	54830

STAINLESS STEEL SELF PRIMING PUMPS**PERFORMANCE & PRISES**

MODEL	HP	RPM	PIPE SIZE mm	HEAD IN METERS													PRISE RS				
				5	10	15	20	25	30	35	40	45	50	60	70	75	MONO BLOCK	BARE PUMP	BASE FRAME & COUPLING		
				DISCHARGE IN LITER/MINUTE																	
SP-0	0.5	2900	12x12	18	18	17	14	7	1										13800		
SP-1	0.5	2900	25x25	35	25	21	17	9	7	3									13450		
SP-2	0.5	2900	25x25	33	26	22	15	7	3										16340	12300	3040
SP-3	1	2900	25x25	49	49	45	39	36	27	19	13								24850	19150	3200
SP-5	1	1450	25x25	65	57	48	42	35	27	21	12	3							30740	22950	3200
SP-6(2 St)	2	1450	25x25	81	74	68	62	58	55	50	46	41	37	28	15	8			27780		4400

MUD MONOBLOCKS & BARE PUMPS**PERFORMANCE CHART**

MODEL	HP	RPM	PIPE SIZE mm	HEAD IN METERS																SOLID HANDLING SIZE(MM)			
				6	8	10	12	14	15	16	18	19	20	22	24	25	26	28	30		32	32	34
				DISCHARGE IN LITER/SECOND																			
NSP-0.5	0.5	2900	25x25	1.7	1.2	1.1	1.0	0.8	0.6	0.5											5.5		
NSP-0	1	2900	40x40	5	5	4	3	2	1												7		
NSP-1	2	2900	40x40			6	6	5	4	4	3	2	1								8.5		
NSP-2	3	2900	50x50			9	8	8	5	7	6	6	5	4	3	1					10.5		
NSP-3L	5	1450	80x80	20	19	19	18	17	16	16	14	14	13	11	9	8	7				15.5		
NSP-3A	5	2900	80x80										10	9	8	8	7	6	5	4	4	7	
NSP-3	7.5	2900	80x80										15	15	14	14	13	12	10	8	8	5	14.5

PRICES RS.

MODEL	HP	RPM	PIPE SIZE IN mm	BARE PUMP		BASE FRAME & COUPLING	MONOBLOCK GLAND TYPE	
				GLAND TYPE	SS - 316		1 PH	3PH
NSP-0.5	0.5	2900	40x40	-	-	-	9150	9150
NSP-0	1	2900	40x40	7680	45670	4250	11760	11530
NSP-1	2	2900	40x40	9270	55820	5320	18120	16470
NSP-2	3	2900	50x50	9730	59620	6380	-	20940
NSP-3L	5	1450	80x80	18240	91310	8510	-	36030
NSP-3A	5	2900	80x80	17940	87780	8510	-	36025
NSP-3	7.5	2900	80x80	17940	87780	10640	-	46225

POLY PROPELENE (PP) PUMPS**PERFORMANCE & PRISES**

MODEL	HP	PUMP SIZE IN mm	HEAD IN METERS at 2800 RPM					MONO BLOCK PUMP	BARE PUMP	BASE FRAME & COUPLING	
			6	8	10	12	16				20
			DISCHARGE IN LPM								
PP-2	0.5	25 x 25		120	110	90			19060	15350	3190
PP-3	1	25 x 25		150	142	118	60		20500	15350	3190
PP-4	1.5	40 x 25		162	148	120	90	44	22380	15350	3610

Specification

- ~ Small size bare / monoblock poly propylene pumps
- ~ Fitted with seal / gland or bellow Mechanical seal
- ~ Shaft is SS-304 / 316 with ceramic / teflon coating

Terms & Conditions :

1. The prices Are Ex-factory.
2. All Govt. taxes EXCISE DUTY, VAT & CST will be charged extra.
3. Packing & Forwarding charges will be extra.
4. We will not take any responsibility for any breakage & damage during transit.
5. This cancels all our previous prise list & Prices are subject to revise without prior notice.
6. Subject to Ahmedabad Jurisdiction.

Range of Products



Power Gold - 1 / 2 / 2A



Super - 70 / 100 / 120



Deluxe-70 / Power Gold-2 Cl



ASM - 1CG / 3CG / 4CG / 5CG



Deluxe - 70 (Rib body)



Deluxe - 80



Deluxe - 90 / 100



Heavy Duty (0.5 H.P. & 1 H.P.)



Mono - 60



ACF Series HH 0.5 to 10 H.P.



ACF Series LH 0.5 to 10 H.P.



Belt Drive 0.5 to 2 H.P.



Single Phase Monoset
(0.5 H.P. to 5 H.P.)



Three Phase Openwell
(0.5 H.P. to 15 H.P.)



Single Phase Motor
0.25 HP to 3 HP



Three Phase Motor
0.25 HP to 60 HP



Mud Monoblock Pump



Stainless Steel Monoblock



Dairy Pump



PP Monoblock Pump



Multistage
Self Priming Pump




Dewatering
sewage pump



V-3, V-4, V-6 Sub. Pump



Coolant
Pump



Chemical Pump